

Table DAE-A: High-Risk Medications

| Description | Prescription | |
|--|--|--|
| Antianxiety (includes combination drugs) | • aspirin-meprobamate | • meprobamate |
| Antiemetics | • scopolamine | • trimethobenzamide |
| Analgesics (includes combination drugs) | • acetaminophen-diphenhydramine • diphenhydramine-magnesium salicylate | • ketorolac |
| Antihistamines (includes combination drugs) | • APAP/dextromethorphan/diphenhydramine • APAP/diphenhydramine/phenylephrine • APAP/diphenhydramine/pseudoephedrine • acetaminophen-diphenhydramine • atropine/CPM/hyoscyamine/PE/PPA/scopolamine • carbetapentane/diphenhydramine/phenylephrine • codeine/phenylephrine/promethazine • codeine-promethazine • cyproheptadine • dexchlorpheniramine • dexchlorpheniramine/dextromethorphan/PSE • dexchlorpheniramine/guaifenesin/PSE • dexchlorpheniramine/hydrocodone/phenylephrine | • dexchlorpheniramine/methscopolamine/PSE • dexchlorpheniramine-pseudoephedrine • dextromethorphan-promethazine • diphenhydramine • diphenhydramine/hydrocodone/phenylephrine • diphenhydramine-magnesium salicylate • diphenhydramine-phenylephrine • diphenhydramine-pseudoephedrine • hydroxyzine hydrochloride • hydroxyzine pamoate • phenylephrine-promethazine • promethazine • tripeleonnamine |
| Antipsychotic, typical | • mesoridazine | • thioridazine |
| Amphetamines | • amphetamine-dextroamphetamine • benzphetamine • dexmethylphenidate | • dextroamphetamine • diethylpropion • methamphetamine • methylphenidate • pemoline • phendimetrazine • phentermine |
| Barbiturates | • amobarbital • butabarbital • mephobarbital | • pentobarbital • phenobarbital • secobarbital |
| Long-acting benzodiazepines (includes combination drugs) | • amitriptyline-chlordiazepoxide • chlordiazepoxide | • chlordiazepoxide-clidinium • diazepam • flurazepam |
| Calcium channel blockers | • nifedipine—short-acting only | |
| Gastrointestinal antispasmodics | • dicyclomine | • propantheline |
| Belladonna alkaloids (includes combination drugs) | • atropine • atropine/CPM/hyoscyamine/PE/scopolamine • atropine/hyoscyamine/PB/scopolamine • atropine-difenoxin • atropine-diphenoxylate • atropine-edrophonium • belladonna • belladonna/caffeine/ergotamine/pentobarbital | • belladonna/ergotamine/phenobarbital • butabarbital/hyoscyamine/phenazopyridine • digestive enzymes/hyoscyamine/phenyltoloxamine • hyoscyamine • hyoscyamine/methenam/m-blue/phenyl salicyl • hyoscyamine-phenobarbital |
| Skeletal muscle relaxants (includes combination drugs) | • ASA/caffeine/orphenadrine • ASA/carisoprodol/codeine • aspirin-carisoprodol • aspirin-meprobamate | • aspirin-methocarbamol • carisoprodol • chlorzoxazone • cyclobenzaprine • metaxalone • methocarbamol • orphenadrine |
| Oral estrogens (includes combination drugs) | • conjugated estrogen • conjugated estrogen-medroxyprogesterone | • esterified estrogen • esterified estrogen-methyltestosterone • estropipate |

Table DAE-A: High Risk Medications (continued)

| Description | Prescription | |
|--|--|--|
| Oral hypoglycemics | • chlorpropamide | |
| Narcotics (includes combination drugs) | • ASA/caffeine/propoxyphene • acetaminophen-pentazocine • acetaminophen-propoxyphene • belladonna-opium • meperidine | • meperidine-promethazine • naloxone-pentazocine • pentazocine • propoxyphene hydrochloride • propoxyphene napsylate |
| Vasodilators | • cyclandelate • dipyridamole—short-acting only | • ergot mesyloid • isoxsuprine |
| Others (including androgens and anabolic steroids, thyroid drugs, urinary anti-infectives) | • methyltestosterone • nitrofurantoin • nitrofurantoin macrocrystals | • nitrofurantoin macrocrystals-monohydrate • thyroid desiccated |

Reproduced with permission from the HEDIS 2009 Volume 2: Technical Specifications by the National Committee for Quality Assurance (NCQA). To purchase copies of this publication, contact NCQA Customer Support at 888-275-7585 or www.ncqa.org/publications